

1. [Preparation](#) ;

Remove all items from the room to be painted. Remove any loose paint or wallpaper. Repair any damage to the walls. Sand the walls to remove any rough spots. Clean the walls with a damp cloth. Dry the walls completely.

Remove any old paint, wallpaper, or drywall. Refinishing, sanding, drywall. Repair any damage to the walls. Sand the walls to remove any rough spots. Clean the walls with a damp cloth. Dry the walls completely.

[Primer](#) is applied to the walls to help the paint adhere. Apply a thin coat of primer to the walls. Allow the primer to dry completely.

Remove any old paint, wallpaper, or drywall. Refinishing, sanding, drywall. Repair any damage to the walls. Sand the walls to remove any rough spots. Clean the walls with a damp cloth. Dry the walls completely.

Remove any old paint, wallpaper, or drywall. Refinishing, sanding, drywall. Repair any damage to the walls. Sand the walls to remove any rough spots. Clean the walls with a damp cloth. Dry the walls completely.

Remove any old paint, wallpaper, or drywall. Refinishing, sanding, drywall. Repair any damage to the walls. Sand the walls to remove any rough spots. Clean the walls with a damp cloth. Dry the walls completely.

[Swiveling](#) roller is used to apply the paint. Apply a thin coat of paint to the walls. Allow the paint to dry completely.

2. [Specifications](#)

Power	220-240V, 50/60 Hz
Weight	1000 lbs
Dimensions	38 in
Capacity	40 gal / min
Warranty	13 years
Price	3.0 \$

3. [Accessories](#)

1.8 gal of paint 48M. Remove any old paint, wallpaper, or drywall. Refinishing, sanding, drywall. Repair any damage to the walls. Sand the walls to remove any rough spots. Clean the walls with a damp cloth. Dry the walls completely.

2 gal of primer. Remove any old paint, wallpaper, or drywall. Refinishing, sanding, drywall. Repair any damage to the walls. Sand the walls to remove any rough spots. Clean the walls with a damp cloth. Dry the walls completely.

[Primer](#). Remove any old paint, wallpaper, or drywall. Refinishing, sanding, drywall. Repair any damage to the walls. Sand the walls to remove any rough spots. Clean the walls with a damp cloth. Dry the walls completely.

Remove any old paint, wallpaper, or drywall. Refinishing, sanding, drywall. Repair any damage to the walls. Sand the walls to remove any rough spots. Clean the walls with a damp cloth. Dry the walls completely.

Remove any old paint, wallpaper, or drywall. Refinishing, sanding, drywall. Repair any damage to the walls. Sand the walls to remove any rough spots. Clean the walls with a damp cloth. Dry the walls completely.

4. [Notes](#)

Remove any old paint, wallpaper, or drywall. Refinishing, sanding, drywall. Repair any damage to the walls. Sand the walls to remove any rough spots. Clean the walls with a damp cloth. Dry the walls completely.

Production Process

Injection Moulding Machine



Assembly Line



Parts of Testing Equipments



Raw Material Warehouse & Finished Product Warehouse

Our Team

Activity, Cooperation, Home



Welcome to
contact US!

