

1. The **Product** Features;

Powerful 2-stage motor provides super suction power and much less noise for heavy duty pickup;

Fine dust cartridge filter for cold fire place ash, auto refinishing, cement dust, sawdust, drywall dust etc.;

[Powerful](#) blower port instantly converts vacuum to power blower;

Strong handle for easy carrying;

Large on/off switch with waterproof design for safe & quick access.

Convenient, built-in power cord wrap;

[Swiveling](#) casters provide ease of movement in any direction.

Built-in tank drain makes draining easy;

Integrated power tool socket enables the direct connection between power

2. **Parameter** Sheet

Voltage	220-240V, 50/60 Hz
Motor Power	1400 W
Tank Capacity	30 L
Airflow	40 L/s
<u>Vacuum</u>	22 Kpa
Cable Length	4.8 M

3. **Accessories**

1.8m x 64mm diameter hose;

2 extension wands;

[Crevice](#) nozzle;

Utility nozzle;

Floor nozzle

4. **Filters**

Fine dust cartridge filter; Disposable filter bag

Production Process

Injection Moulding Machine



Assembly Line



Parts of Testing Equipments



Raw Material Warehouse &
Finished Product Warehouse



Our Team

Activity, Cooperation, Home



Welcome to
contact US!

